vueline
ALUMINIUM SCREENS AND SHUTTERS

LOCAL EXTERNAL | IMPORTED EXTERNAL | IMPORTED INTERNAL

SPECIFICATION COMPARISON SHEET

Feature	LOCAL MADE EXTERNAL	IMPORTED EXTERNAL	IMPORTED INTERNAL
Lead Times - Standard COlours	3-5 weeks	6-8 weeks	6-8 weeks
Construction	Powder coated aluminium with nylon end caps	Powder coated Aluminium - punched Aluminium End Caps and Stainless Steel Pins	Powder coated aluminium with nylon end caps
Warranty - Construction / Coating	7 Years	7 Years	20 Years Internal
Options			
Blade Sizes (mm) std charge	150 115 90 60	150 114 89 63	89
Stile Types	60 x 30mm  Beaded (Flat- Optional)	60 x 28.4mm Flat only	51 x 28.4mm  Flat only
Stile Design	Square or D Mould (see reverse for diagrams)	Square or D Mould (see reverse for diagrams)	Square or D Mould (see reverse for diagrams)
Tiltrod types	"T" section Clearview bar	"T" section Clearview bar	"T" section Clearview bar
Framing	L Frame, Z Frame and T posts (see reverse for diagrams)	L Frame, Z Frame and T posts (see reverse for diagrams)	L Frame, Z Frame and T posts (see reverse for diagrams)
Hinges	Stainless Steel FIXED PIN Stainless Steel LOOSE PIN Stainless Steel PIVOT HINGE	Aluminium FLAG HINGE Stainless Steel FIXED PIN Stainless Steel LOOSE PIN Stainless Steel PIVOT HINGE	Powder Coated Steel LOOSE PIN Stainless Steel LOOSE PIN
Special Shapes	N/A	Rake (uneven sides) only	N/A
Colours			
Standard - Colours	Gloss White, Satin White, Birch White, Black and Anodised.	Gloss White, Satin White, Birch White, Matt Black, Monument, Surf Mist & Silver	Interpon Satin White
Standard - Woodgrain (Surcharge)	N/A	Jarrah, Medium Cedar	N/A
Custom - Colour (+2 week lead time)	**Please go online to view Range** www.duluxpowders.com.au/colour/ www.specifyinterpon.com.au/color/	Classic Cream, Cottage Cream, Deep Ocean, Dune, Ironstone, Jasper, Loft, Minor Red, Pale Eucalyptus, Paperbark, Shale Grey & Woodland Grey	N/A
Custom - Woodgrain (+2 week lead time)	**Please go online to view Range** www.linkpowdercoating.com.au/brochure.php	N/A	N/A

Specification		LOCAL MADE EXTERNAL	IMPORTED EXTERNAL	IMPORTED INTERNAL
Max Width	Hinged panel	1000mm	1000mm	1000mm
	Fixed / Slider panel **90 - 115 Blade**	1350mm	1350mm	1350mm
	BI Fold panel **90 - 115 Blade**	750mm	750mm	700mm
Max Height	Panel Height	3600mm	3600mm	3000mm
	Mid-rail required	Over 2000mm drop	Over 2000mm drop	1800mm
	2nd Mid Rail required	Over 3000mm drop	Over 3000mm drop	2500mm
Max Height Vertical	Fixed	60mm = 1350mm 90mm = 1500mm 115mm = 1800mm 150mm = 2400mm	60mm = 1350mm 90mm = 1500mm 115mm = 1800mm 150mm = 2400mm	90mm = 1500mm

CW systems

vueline
ALUMINIUM SCREENS AND SHUTTERS

LOCAL EXTERNAL | IMPORTED EXTERNAL | IMPORTED INTERNAL

SPECIFICATION COMPARISON SHEET

LOCAL EXTERNAL



T - Post



Z - Frame



L - Frame







Top U Channel



H Section





Bottom Channel



Side U Channel




Slim line Barrel Bolt

Flush Bolt

Economy Lock

Door Handle Lock

v1 07 2020

CW systems™

5 Tollis Place, Seven Hills NSW 2147
PO Box 294 Pendle Hill NSW 2145
Telephone: (02) 9624 0700 Fax:(02) 9838 4740
Email: sales@cwsystems.com.au
ABN 98 138 897 088

vueline
ALUMINIUM SCREENS AND SHUTTERS

LOCAL EXTERNAL | IMPORTED EXTERNAL | IMPORTED INTERNAL

SPECIFICATION COMPARISON SHEET

IMPORTED EXTERNAL





















IMPORTED INTERNAL





Top U Channel



H Section



Bottom Channel



Side U Channel








Slim line Barrel Bolt

Flush Bolt

Economy Lock

Door Handle Lock

v1 07 2020

CW systems

5 Tollis Place, Seven Hills NSW 2147
PO Box 294 Pendle Hill NSW 2145
Telephone: (02) 9624 0700 Fax:(02) 9838 4740
Email: sales@cwsystems.com.au
ABN 98 138 897 088

SPECIFICATION COMPARISON SHEET

LOCAL EXTERNAL | IMPORTED EXTERNAL

TOP ROLLING TRACKS (SLIDING & BI FOLD)



Carrier: A four Wheel carrier with stainless steel bearings and cast Aluminium body. Includes a cast Aluminium mounting bracket.



Pivot Set: Stainless steel top and bottom pivot set. The bottom pivot has sideways adjustment of up to 6mm to ensure accuracy in bi-folding movements.

TOP TRACKS



Standard Top Track



Heavy Duty Top Track

BOTTOM TRACKS



Standard Floor Track



Heavy Duty Floor Track



Lock-in M-Track

v1 07 2020

CW systems™
5 Tollis Place, Seven Hills NSW 2147
PO Box 294 Pendle Hill NSW 2145
Telephone: (02) 9624 0700 Fax:(02) 9838 4740
Email: sales@cwsystems.com.au
ABN 98 138 897 088

SPECIFICATION COMPARISON SHEET

BOTTOM ROLLING TRACKS (SLIDING ONLY)

IMPORTED EXTERNAL





Bottom Channel

OR


Pip Track


Imported Bottom Rolling Wheel


Side View



End View

LOCAL EXTERNAL





Bottom Channel

OR


Pip Track


Local Bottom Rolling Wheel


Side View



End View

v1 07 2020

CW systems™
5 Tollis Place, Seven Hills NSW 2147
PO Box 294 Pendle Hill NSW 2145
Telephone: (02) 9624 0700 Fax:(02) 9838 4740
Email: sales@cwsystems.com.au
ABN 98 138 897 088